jc922 U.S	
יט שי	Please type a plus sign (+) inside this box → +

- Abstract of the Disclosure  3. Drawing(s) (35 U S.C. 113) [Total Sheets] ]  4. Oath or Declaration [Total Pages] ]  5. Copy from a prior application (37 C.F.R. § 1.63(d)) [Note Box 5 below] [Incorporation By Reference (useable if Box 4b) is considered to be part of the disclosure of the actory of the oath or declaration is supplied under Box 4b, is considered to be part of the disclosure of the actory of the actory of the oath or declaration is supplied under Box 4b, is considered to be part of the disclosure of the actory application and is hereby incorporated by reference therein.  17. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information bisclosure address below [Insert Customer No. or Attach bar code label here]  18. CORRESPONDENCE ADDRESS  19. English Translation Document (if applicable) [Information Disclosure Copies of IDS Statement (iDS)/PTO-1449	ype a plus sign (+) ins	ــــــ	required to respon	Patent and	Trademark O	ffice US.	PTO/SB/05 (1 ugh 09/30/2000. OMB 0651-C DEPARTMENT OF COMME	0032 RCE
PATENT APPLICATION TRANSMITTAL  Conty for new nonprovisional applications under 37 CFR 1.52(b)  APPLICATION ELEMENTS  See MFEP chapter 600 concerning utility patent application contents  APPLICATION ELEMENTS  See MFEP chapter 600 concerning utility patent application contents  APPLICATION ELEMENTS  See MFEP chapter 600 concerning utility patent application contents  APPLICATION ELEMENTS  See MFEP chapter 600 concerning utility patent application contents  APPLICATION ELEMENTS  See MFEP chapter 600 concerning utility patent application contents  APPLICATION ELEMENTS  See MFEP chapter 600 concerning utility patent application contents  APPLICATION ELEMENTS  See MFEP chapter 600 concerning utility patent application contents  APPLICATION ELEMENTS  See MFEP chapter 600 concerning utility patent application contents  APPLICATION ELEMENTS  See MFEP chapter 600 concerning utility patent application contents  APPLICATION ELEMENTS  See MFEP chapter 600 concerning utility patent application contents  ADDRESS TO: Assistant Commissioner for Patents  Box Patent Application  (Submit an original, and adupticate for fee processing)  (Submit an original, and adupticate for fee processing)  Corputer Readable Copy  Description of the Invention  Brief Description of the Invention  Brief Description of the Disclosure  Brief Description of the Disclosure  Computer Readable Copy  Computer Readable			1		miorination an			
TRANSMITTAL  Title	Frank favor			ntor or Application Identifier Andrews, Greg				
Application   Applications under 37 CFR   1.53(b)   Express Mail Label No.   EK599480649US	Titlo				Anti-Icin			
APPLICATION ELEMENTS  See MFEP chapter 600 concerning utility patent application contents  ADDRESS TO: Box Patent Application  ADDRESS TO:			3(b)) Express I	Mail Label No.		EK59	99480649US	
1. X *Fee Transmittal Form (e.g., PTO/SB/17) (Submit an original, and a duplicate for fee processing) (Submit an original, and a duplicate for fee processing)  2. X Specification (preferred arrangement set forth field)  - Descriptive title of the Invention - Cross References to Related Applications - Statement Regarding Fed sponsored R & D - Reference to Microfiche Appendix - Background of the Invention - Brief Summary of the Invention - Brief Summary of the Invention - Brief Summary of the Drawings (if filed) - Detailed Description - Claim(s) - Abstract of the Disclosure  3. Drawing(s) (35 U S.C. 113) [Total Sheets ] - Drawing(s) (35 U S.C. 113) [Total Sheets ] - Drawing(s) (35 U S.C. 113) [Total Pages ] - A. Newly executed (original or copy) - B. Special Statement attached deleting inventor(s) named in the prior application, sor S of Schooly - The entire disclosure of the prior application, sor S or C-F. R. § 1.63(d)(2) and 1.33(b). The entire disclosure of the prior application is supplied under Box 4b, is considered to be part of the disclosure of the prior application, sor of the editing inventor(s) named in the prior application and is hereby incorporated by reference therein.  17. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment of prior application information Examiner.  18. CORRESPONDENCE ADDRESS    Customer Number or Bar Code Label   Insert Customer No. or Attach bar code label here)   Customer No. or Attach bar code label here)			n contents	ADDRES	S TO: Box	Patent A	pplication	
- Brief Description of the Drawings (if filed) - Detailed Description - Claim(s) - Abstract of the Disclosure  3. Drawing(s) (35 U S.C. 113) [Total Sheets	(Submit an origin  Specification (preferred arrang  - Descriptive til  - Cross Refere  - Statement Re  - Reference to  - Background of	inal, and a duplicate for fee proc [Total Pages gement set forth below) itle of the Invention ences to Related Application egarding Fed sponsored R is b Microfiche Appendix of the Invention	essing)  [5 22]]	7. Nucleotide (if applicate a. b.	e and/or Amir ole, all neces Compute	no Acid S sary) er Reada opy (iden	Sequence Submission ble Copy ntical to computer copy)	s
- Detailed Description - Claim(s) - Abstract of the Disclosure  3.		· ·	'\	ACCO	/IPANYING	APPLI	CATION PARTS	
Customer Number or Bar Code Label (Insert Customer No. or Attach bar code label here)  Name Barry E. Kaplan, Esq. Hughes & Kaplan  Address 2415 West Park Place Boulevard Suite B	- Detailed Description - Claim(s) - Abstract of the Drawing(s) (35 ath or Declaration a. X Newly b. Copy fine (for continuous) - Incorporation By The entire discleted to be application and if a CONTINUING A	Total Pages  Total Pages  Executed (original or copy)  from a prior application (37 intinuation/divisional with Box 17 intinuation/divisional interpretation of Inventor(s) named in the prisee 37 C.F.R. §§ 1.63(d)(2) by Reference (useable if Box 4 osure of the prior application of celaration is supplied to part of the disclosure of the part	C.F.R. § 1.63(d) completed) d deleting or application, and 1.33(b). b is checked) n, from which a under Box 4b, is the accompanying eference therein onate box, and sup-	9. 37 C (whe 10. Engl 11. Infor State 12. Preli 13. X (Shot 14 X State (PTC 15 Cert (if for 16. X Other where one has boply the requisite in	C.F.R.§3.73(ken there is an there is an there is an instrument of the proof of the	o) Statem of assigned on Doculosure PTO-144 ndment Postcard fically ite State State Priority I is claime Card Pa o be entitle w and in a	Power of Attorion (If applicable)  Copies of IDS (Citations)  (MPEP 503)  Pemized)  Pement filed in prior application (Proper and desired (Proper and desired (Proper))  Ped to pay small entity fees, exception and is being relied upon	ation,
Name  Barry E. Kaplan, Esq. Hughes & Kaplan  Address  Barry E. Kaplan, Esq. Hughes & Kaplan  2415 West Park Place Boulevard Suite B	The approace in the		RESPONDE	NCE ADDRESS				
Hughes & Kaplan  2415 West Park Place Boulevard Suite B	Customer Number or	•	tomer No. or Attac	h bar code label he	,	X Corr	espondence address below	
Address 2415 West Park Place Boulevard Suite B								
	Address 2415 West Park Place Boulevard							
City Stone Mountain   State   Georgia   Zip Code   30087		ountain	State	Georgia	Zın	Code	30087	
Country         United States         Telephone         770-469-8887         Fax         770-469-9099			<del></del>			r		
Name (Pnnt/Type) Barry E. Kaplan Registration No (Attorney/Agent) 38,934	Name (Pnnt/Type) Ba	arry E. Kaplan		Registration	n No (Attorney/	Agent)		1

Burden Hour Statement: This form is estimated to take 0.2 hours to complete Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.



PTO/SB/17 (1/98)

Approved for use through 9/30/2000 OMB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

						Co	mplete ii	f Known		- 3
CCC TO ANCH	ITTAI		Appli	cation	n Num	ber				
FEE TRANSMITTAL			Filing	Date	)		SEPT	EMBER 14, 2	000	ŭ
Patent fees are subject to annual revision on October 1. These are the fees effective October 1, 1997.			First	Name	ed Inve	entor		s, Greg		:
Small Entity payments must be supported by a	small entity staten				Name					
otherwise large entity fees must be paid. See I	Forms PTO/SB/09	)-12			t Unit					i
TOTAL AMOUNT OF PAYMENT (\$)	384.00	-		•		No	613110	100		
TOTAL AMOUNT OF TATMENT (0)			Attor	ney L	ocket	110.	013110	00		
METHOD OF PAYMENT (che	ck one)				FI	EE CA	LCULA1	TION (continued	)	
The Commissioner is hereby authoriz	zed to charge		DDIT							
1. Indicated fees and credit any over pa	yments to	Fee	Fee	Fee	Fee	y	Fee D	escription	F	Fee Paid
Deposit Account		105	e (\$) 130	205	e (\$) 65	Surcha	erge - late fi	ling fee or oath	Г	1
Number Deposit		127	50	227	25		-	rovisional filing fee oi	.  -	
Account Name		127	00		20	covers		J	H	
Charge Any Additional Charge the Issu		139	130	139	130	Non-E	nglish speci	ification		
Fee Required Under 37 CFR 1 18 at: 37 CFR 1 16 and 1 17 Notice of Allowa	the Mailing of the nce	147	2,520	147	2,520		• .	t for reexamination		
Process -		112	920*	112	920*		sting public ner action	ation of SIR prior to		
2. X Payment Enclosed:	0.0	113	1,840*	113	1,840*	Reque	stıng public	ation of SIR after		
Check Order	Other		·			Examir	ner action	y within first month	-	
FEE CALCULATION		115	110	215	55 200			y within second mont	<sub>h</sub>  -	
1. BASIC FILING FEE		116 117	400 950	216 217		Extens	ion for reply	y within third month	F	
Large Entity Small Entity			1.510		755	Extens	ion for reply	, y within fourth month		
Fee Fee Fee Fee Description Code (\$) Code (\$)	Fee Paid		2,060			Extens	on for reply	y within fifth month		
101 790 201 395 Utility filing fee	345	119	310	219		Notice	of Appeal			
106 330 206 165 Design filing fee		120	310	220		Filing a	a brief in su	pport of an appeal		
107 540 207 270 Plant filing fee	<u> </u>	121	270	221	135	Reque	st for oral h	earing		
108 790 208 395 Reissue filing fee		138	1,510	138	1,510	Petition	to institute	e a public use procee	ding	
114 150 214 75 Provisional filing fee			110	240	55	Petitio	n to revive -	unavoidable	<u> </u>	
SUBTOTAL (1) (\$)	345	141	1,320	241	660	Petitio	n to revive -	unintentional	_	
2. EXTRA CLAIM FEES			1,320		660	-	ssue fee (o	r reissue)	L	
Fee fi Ext <u>ra Claim</u> s <u>belo</u>	w Fee Paid	143	450		225	-	issue fee			
Total Claims 16 -20** = 0 X 11	<u> </u>	144	670		335		ssue fee		1_	
Ciaims 4 - 3 - 1 ^ 39	39	122	130		130			ommissioner		
Multiple Dependent  **or number previously paid, if greater, For Reis	LIGS See helow	123 126	50 240	123 126	50 240			o provisional applicat		
Large Entity Small Entity	auca, acc DeiUW					Submi	ssion of Info	ormation Disclosure \$	stmt	
Fee Fee Fee Fee Description Code (\$) Code (\$)	on	581	40	581	40			atent assignment per imber of properties)		
103 22 203 11 Claims in excess of 2	20	146	790	246	395	Filing a	submissio	n after final rejection	-	
102 82 202 41 Independent claims	in excess of 3	149	790	249	395	•	R 1.129(a)) ch additiona	) al invention to be	-	
104 270 204 135 Multiple dependent of	· ·				-		ed (37 CFF			
109 82 209 41 ** Reissue independ over original paten		Other	fee (sp	ecifv)						
110 22 210 11 ** Reissue claims in and over original p	excess of 20		fee (sp						_	
SUBTOTAL (2) (\$)	39.00	*Redu	ced by	Basic	Filing I	Fee Pak	s s	UBTOTAL (3)	5)	0.
SUBMITTED BY Complete (if applicable)										
Typed or Printed Name Barry E. Kaplan, Es	sq.					***********		Reg. Number	38,93	
Signature Bany LZ	plan				Date	09/	14/00	Deposit Account User ID		

Burden Hour Statement This form is estimated to take 0.2 hours to complete Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO. Assistant Commissioner for Patents, Washington, DC 20231

37 CFR 1.9(f) & 1.27	(b)}-INDE	PENDENT INVENT	OR	61311008
ApplicantorPatentee:_	Greg R. A	Andrews; Robert S. M	endenhall	
Application or Patent No	o.:		-	
Filed or (ssued:	Se	eptember 14, 2000		
Title:	Anti-Icin	g Formulations		
		y declare that I qualify as ed fees to the Patent and		ventor as defined in 37 CFR described in:
		th with title as listed abo	ve.	
the application ic	dentified abo	ve.		
the patent identi	ified above.		•	
grant, convey, or licens under 37 CFR 1.9(c) if	se, any rights i i that person l	in the invention to any per	son who would not q or to any concern w	n undercontract or law to assign, ualify as an independent inventor hich would not qualify as a small R 1.9(e).
				eyed, or licensed or am under an In the invention is listed below:
No such perso	on, concern, e	or organization exists.		
Each such per	rson, concen	n, or organization is liste	t below.	
Sangrata varified states	amonto ere re	as strend from an ab promodel		organization having rights to the
		small entities (37 CFR 1		organization naving ngms to the
entitlement to small er	ntity status p	rior to paying, or at the	time of paying, the	ange in status resulting in loss of earliest of the Issue fee or any rappropriate. (37 CFR 1.28(b))
information and belief a willful false statements of Title 18 of the Unite	rebelieved to and the like : d States Coo	obe true; and further that so made are punishable	hese statements we by fine or imprison false statements m	and that all statements made on ere made with the knowledge that nent, or both, under section 1001 ay jeopardize the validity of the ament is directed.
Greg R. Andrew	vs	Robert S. Mende	nhall	
Ocen WWW.	11 5007	NAMEOFINENTOR		NAME OF INVENTOR
Signature of inventor		Signature of Inventor	 ol	Signature of inventor
Date /	<del></del>	7 / 17 / 200 Date /	<del></del>	Date
•		•		

Burden Hour Statement: This form is estimated to take 0.3 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademerk Office, Weshington, DC 20231 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS, SEND TO. Assistant Commissioner for Patents, Washington, DC 20231.

61311008.010

# APPLICATION FOR LETTERS PATENT UNITED STATES OF AMERICA

10

15

Be it known that I, Greg R. Andrews, residing at 70 Home Avenue, Second Floor, Middletown, Connecticut, 06457, and I, Robert S. Mendenhall, residing at 9 Brainerd Avenue, Middletown, Connecticut, 06457, both being citizens of the United States of America, have invented certain new and useful improvements in

#### ANTI-ICING FORMULATIONS

- 1995 Hard Hard 25

Hall B

12 12 20

of which the following is a specification.

#### INVENTOR'S REPRESENTATIVE:

35

Barry E. Kaplan, Esq.
The Law Firm of HUGHES & KAPLAN
2415 West Park Place Boulevard
Suite B

40

Stone Mountain, Georgia 30087 (770) 469-8887 - Voice (770) 469-9099 - Facsimile barry kaplan@msn.com - email

5

#### TITLE:

#### ANTI-ICING FORMULATIONS

## **RELATED APPLICATIONS:**

This non-provisional application claims the benefit of Provisional Application Serial No. 60/154,706, filed on September 18, 1999.

## TECHNICAL FIELD

The present invention relates generally to anti-icing formulations; and, more specifically, to anti-icing and deformulations produced from alcohol/polyol-based icing aqueous fluids, thickened by the combination of an acrylic and a water-swellable layered clay mineral. Optional formulations include the addition of a surfactant combination comprised of a first surfactant with hydrophilic/ lipophilic balance ("HLB") ≤ 3, coupled with a second surfactant with an HLB 19, and include the further optional addition of a water-activated polymer and other components. A second basic formulation describes a polyol-

5

based aqueous solution of polyvinyl alcohol with optional thickeners.

## BACKGROUND OF THE INVENTION:

The problem of ice formation on surfaces is well known, and is addressed extensively in the prior art. There is still a need, however, for deicing/ anti-icing compositions which offer enhanced resistance to rain wash-off. Furthermore, there exists a need for effective deicing/ anti-icing compositions which may be applied using simple light-duty hand-held sprayers.

Accordingly, it is an object of the present invention to provide a first form of anti-icing compositions which are easily removable from surfaces to which they are applied, and contain no polyvinyl alcohol, and to provide a second form that will set-up to form a rubber-like gel within several hours after mixing.

It is another object of the present invention to provide anti-icing compositions principally comprising an aqueous solution of monohydroxy and/ or polyhydroxy alcohols, thickened with a combination of an acrylic emulsion polymer and a water-swellable, colloid-forming clay mineral.

It is still another object of the present invention to provide anti-icing compositions compatible with optional ingredients such as polyols, surfactants, pH-modifiers, friction-reducing agents, corrosion inhibiting agents, anti-oxidants, UV inhibitors, biocides, dyes, foam control agents, odor-modification agents, stabilizers, and the like.

It is yet another object of the present invention to provide anti-icing compositions that utilize non-toxic chemicals as freezing point depressants.

It is yet still another object of the present invention to provide anti-icing compositions having viscosity that may be adjusted for application of the composition through a variety of means.

# BRIEF SUMMARY OF THE INVENTION:

The present invention provides substantial improvement to the art for a variety of applications. Formulations are described for compositions which may be applied using lightduty sprayers, yet still allow for higher viscosities, and, thereby, greater resistance to rain wash-off, than analogous prior-art formulations. Formulations are also described which provide enhanced resistance to water incursion. Formulations are further described for compositions

providing such an extreme level of resistance to wash-off that they are only suitable for applications where easy removal of the composition is not an issue.

Accordingly, anti-icing compositions are disclosed comprising an aqueous solution of monohydroxy and/ or polyhydroxy alcohols, thickened with a combination of an acrylic emulsion polymer and a water-swellable, colloid-forming clay mineral. Optional additions include glycerine, and added surfactant combinations comprised of a first surfactant with an hydrophilic/ lipophilic balance  $\leq 3$  coupled with a second surfactant with an HLB 19. An example of such surfactant combination is a block copolymer of ethylene-oxide and propylene-oxide.

Further optional additions may include Teflon powder, graphite, pH-modifiers, corrosion inhibiting agents, anti-oxidants, UV inhibitors, biocides, dyes, foam control agents, odor-modification agents, stabilizers, and the like. Advantageously, the preferred formulations of the present invention utilize non-toxic chemicals as freezing point depressants.

## DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT:

In describing the preferred and alternate embodiments of the present invention, specific terminology is employed for the sake of clarity. The invention, however, is not intended to be limited to the specific terminology so selected, and it is to be understood that each specific element includes all technical equivalents that operate in a similar manner to accomplish similar functions.

The present invention consists of formulations for anti-icing fluids. These fluids also have utility for deicing applications. The present formulations are of two basic types, which are most simply distinguished by the presence or lack of polyvinyl alcohol.

# Type I Formulations:

The formulations of the first basic type are designed to be easily removable from surfaces to which they are applied, and contain no polyvinyl alcohol. These formulations are comprised of combinations of the following components:

A. Freezing point depressant: This component will typically comprise between 20 to 80 weight percent of the total composition. The following are preferred:

5

- a) One, two, or three carbon alcohols (i.e., methyl, ethyl, and propyl alcohols). These alcohols provide economy, low viscosity, rapid evaporation, and are quite flammable.
- b) Two or three carbon glycols (i.e., ethylene glycol or propylene glycol). These diols are viscous, odorless, slow evaporating, and non-flammable.
- c) Glycerol (1,2,3-propanetriol). Glycerol (Glycerine) is very viscous, odorless, extremely slow evaporating, and non-flammable. (For maximum viscosity and water resistance, these compositions should contain at least approximately 5% by weight glycerine).
- d) Any combination of the above. The above components blend easily to yield compositions with a combination of the above-mentioned properties.
- B. Water: This component will typically comprise between 20 to 80 weight percent of the total composition. The water does not have to be distilled or purified, although hard water may require pre-treatment or the addition of a sequestrant.
- C. Acrylic-based emulsion polymer or copolymer: This component will typically comprise between 0.1 to 15 weight

percent of the total composition. Most preferred are associative, hydrophobically modified polymer emulsions.

- D. Colloid-forming (water swellable) layered clay mineral: This component will typically comprise between 0.05 to 5 weight percent, and most typically between 0.1 to 2 weight percent of the total composition. Preferred are natural or synthetic hectorites, montmorillonites and bentonites, and of these, purified or synthetic hectorites are especially preferred.
- E. Nonionic surfactant with an HLB in the range of 1 to 3: This component is optional, and will typically comprise between 0.1 to 3 weight percent, and most typically between 0.5 to 2.0 weight percent of the total composition.
- F. Nonionic surfactant with an HLB of 19 or above: This component is optional, and will typically comprise between 0.01 to 1.0 weight percent, and most typically between 0.05 to 0.5 weight percent of the total composition.
- G. Polymeric water-activated thickening agent: This component is optional, and will typically comprise between 0.01 to 10.0 weight percent, and most typically between 0.1 to 5.0 weight percent of the total composition. Preferred are polysaccharide thickeners, natural gum thickeners, marine algae colloids, and cellulose ether thickeners. Most

preferred is a polysaccharide known generically as Xanthan Gum.

- H. pH adjusting agent: This component will typically comprise less than 0.5 weight percent of the total composition, and is, in any case, only required in an amount sufficient to adjust the pH upward to the range between 6 to 12, most preferably to between 7.5 to 10. Preferred are alkaline metal hydroxides and organic amine bases, although it may be advisable to avoid the use of tertiary amines as these can possibly interfere with the gel structure of these formulations.
- optional, and will typically comprise less than 1 weight percent of the total composition. Corrosion inhibitors useful as ingredients in alcohol/polyol based aqueous solutions are well known in the art, and selection may be made based upon the type of surfaces with which the present compositions are likely to come into contact, and how long and under what conditions they are likely to remain on that surface.
- J. Powder lubricant: This component is optional, and is only used in compositions which are designed for applications such as locks or hinges, where it may be useful

to supplement the anti-icing function with one of lubrication. Preferred are graphite or Teflon powders, and the amounts will typically comprise between 0.1 to 10 weight percent of the total composition.

K. Miscellaneous additives: The composition may also contain various other functional ingredients such as anti-oxidants, UV inhibitors, biocides, dyes, foam control agents, odor-modification agents, stabilizers and the like. Each of these components will typically comprise less than 1.0 weight percent of the total composition.

# Examples of Type I Formulations:

Some examples of compositions produced by the aforementioned first basic type formulations are as follows, with the ingredients listed in approximate order of addition:

i. Slow-evaporating, non-toxic, viscous, thixotropic anti-icing fluid for application by trigger-type or other light-duty sprayers.

40 wt. %	Water				
0.25 wt. %	LAPONITE®	(synthetic	hectorite	clay:	Laporte
	Industries,	Ltd.)			

0.75 wt. %	ALCOGUM® SL-70 (acrylic emulsion terpolymer:
	ALCO Chemical)
0.1 wt. %	PLURONIC® F108 (nonionic surfactant: BASF)
23 wt. %	Glycerine
20 wt. %	Propylene glycol
≈ 0.1 wt. %	AMP-95 (Aminomethyl propanol: Angus Chemical
	Co.)
15 wt. %	Isopropyl Alcohol
0.5 wt. %	PLURONIC® 31R1 (nonionic surfactant: BASF)
0.4 wt. %	Orange Oil 5 Fold (Frutarom-Meer Corporation)

ii. Viscous, thixotropic anti-icing fluid for use in automobile windshield washer reservoirs:

48.5 wt. %	Water
0.25 wt. %	LAPONITE® (synthetic hectorite clay: Laporte
	Industries, Ltd.)
0.5 wt. %	ALCOGUM® SL-70 (acrylic emulsion terpolymer: ALCO Chemical) Note: This ingredient is optional for windshield washer reservoir fluid.
0.05 wt. %	PLURONIC® F108 (nonionic surfactant: BASF)
15 wt. %	Ethylene glycol (substitute propylene glycol to produce a non-toxic product)
≈ 0.1 wt. %	AMP-95 (Aminomethyl propanol: Angus Chemical

	Co.)
35 wt. %	Methanol (substitute isopropyl alcohol to
	produce a non-toxic product)
0.5 wt. %	PLURONIC® 31R1 (nonionic surfactant: BASF)
0.3 wt. %	Orange Oil 5 Fold (Frutarom-Meer Corporation) (Use when isopropyl alcohol is an ingredient.)

iii. Highly water-resistant, low-evaporation, non-toxic, anti-icing gels for application by hand-held spreaders or heavy-duty sprayers:

36 wt. %	Water
0.5 wt. %	LAPONITE® (synthetic hectorite clay: Laporte
	Industries, Ltd.)
10 wt. %	ALCOGUM® SL-70 (acrylic emulsion terpolymer:
	ALCO Chemical)
0.12 wt. %	PLURONIC® F108 (nonionic surfactant: BASF)
10 wt. %	Glycerine
42 wt. %	Propylene glycol
0.4 wt. %	KELZAN® (xanthan gum: Kelco Industrial
	Biopolymers)
1.2 wt. %	PLURONIC® 31R1 (nonionic surfactant: BASF)
≈ 0.2 wt. %	AMP-95 (Aminomethyl propanol: Angus Chemical

transfer to the second	
	Go \
	(0.)
	·
	,
	,
	<b>!</b>

iv. Low-evaporation, non-toxic, highly viscous antiicing gel with lubricant; for application by injection into all types of locks:

35 wt. %	Water
1.0 wt. %	LAPONITE® (synthetic hectorite clay: Laporte
	Industries, Ltd.)
2.0 wt. %	ALCOGUM® SL-70 (acrylic emulsion terpolymer:
	ALCO Chemical)
0.15 wt. %	PLURONIC® F108 (nonionic surfactant: BASF)
40.0 wt. %	Glycerine
20 wt. %	Propylene glycol
0.5 wt. %	Zonyl® MP 1000 (PTFE powder: DuPont)
0.5 wt. %	KELZAN® (xanthan gum: Kelco Industrial
	Biopolymers)
0.7 wt. %	PLURONIC® 31R1 (nonionic surfactant: BASF)
≈ 0.2 wt. %	AMP-95 (Aminomethyl propanol: Angus Chemical
	Co.)

5

# Type II Formulations:

The formulations of the second basic type contain polyvinyl alcohol, and are designed to be extremely water resistant. These formulations are comprised of the following components:

- A. Freezing point depressant: This component will typically comprise between 30 to 70 weight percent of the total composition. The following are preferred:
  - a) Two or three carbon glycols.
  - b) Glycerol (Glycerine, 1,2,3-propanetriol).
  - c) A combination of the above.
- B. Water: This component will typically comprise between 30 to 70 weight percent of the total composition. The water does not have to be distilled or purified, although hard water may require pre-treatment or the addition of a sequestrant.
- C. Polyvinyl alcohol: This component will typically comprise between 2 to 15 weight percent, and most typically between 6 to 10 weight percent, of the total composition. Fully-hydrolyzed, gel-resistant grades are most preferred.
- D. Acrylic-based emulsion polymer or copolymer, or a crosslinked homopolymers or copolymers of acrylic acid:

  This component is optional, and will typically comprise
  61311008.009.spec.nppa.doc

  Page 14 of 22

between 0.1 to 10 weight percent of the total composition.

Most preferred are hydrophobically-modified compounds.

- E. Polymeric water-activated thickening agent: This component is optional, and will typically comprise between 0.1 and 10.0 weight percent of the total composition. Preferred are polysaccharide thickeners, natural gum thickeners, marine algae colloids, and cellulose ether thickeners. Most preferred is a polysaccharide known generically as Xanthan Gum.
- F. Hydrogen peroxide: This component is optional, and will typically comprise between 0.02 and 1.5 weight percent of the total composition. This ingredient serves to lower the viscosity of polyvinyl alcohol solutions.
- G. pH adjusting agent: This component will typically comprise less than 0.5 weight percent of the total composition, and is, in any case, only required in an amount sufficient to adjust the pH upward to the range between 7 and 12, most preferably to between 7.5 and 10. Strong bases, such as alkaline metal hydroxides can cause damage to the polyvinyl alcohol. Preferred are organic amine bases or ammonium hydroxide.
- H. Corrosion inhibitors: These components are optional, and will typically comprise less than 1 weight 61311008.009.spec.nppa.doc Page 15 of 22

percent of the total composition. Corrosion inhibitors useful for use in polyol based aqueous solutions are well known in the art, and selection may be made based upon the type of surfaces which the present compositions are likely to come in contact with, and how long and under what conditions they are likely to remain on that surface.

I. Miscellaneous additives: The composition may also contain various other functional ingredients such as surfactants, anti-foaming agent, anti-oxidants, UV inhibitors, biocides, dyes, odor-modification agents, stabilizers and the like. Each of these components will typically comprise less than 1.0 weight percent of the total composition.

# Examples of Type II Formulations:

Compositions produced by the aforementioned second basic formulation will set-up to form a rubber-like gel within several hours after mixing. Typically, therefore, these compositions will be made in two or more parts, which are then mixed together prior to use. An example is shown below of a three part formulation. Parts A and B are volumetrically approximately equal parts, with the ingredients listed in order of addition:

# PART A:

82 wt. %	Water
0.5 wt. %	Hydrogen peroxide
0.07 wt. %	TRITON® X-100 (gel-inhibiting surfactant: Union Carbide)
17 wt. %	ELVANOL® 85-82 (polyvinyl alcohol: DuPont)
≈ 0.2 wt. %	Triethanolamine (sufficient to produce a pH of about 7-10 for the combined parts)

# PART B:

99.3 wt. %	Glycerine
0.5 wt. %	Carbopol® ETD 2623 (polyacrylic acid carbomer:
	B.F. Goodrich)
≈ 0.2 wt. %	DREWPLUS® L-474 (foam control agent: Drew
	Industrial Div., Ashland Chemical)
≈ 0.02 wt. %	Any color dye to indicate whether Parts "A" and
	"B" are fully mixed

# PART C:

	<b>≈</b>	1	ે	by	weight	KELZAN®	(xanthan	gum:	Kelco	Industrial
١										

Mixing Instructions for the above-described multi-part formulation:

Disperse part "C" into part "B". While stirring part "A", add the "B/C" mix to part "A" and mix thoroughly.

Avoid over-mixing to minimize air entrapment.

While particular formulations have been set forth to describe and exemplify this invention, such are not intended to be limiting. Rather, it should be noted by those ordinarily skilled in the art that the within disclosures are exemplary only and that various other alternative formulations may be made within the scope of the present invention. Accordingly, the present invention is not limited to the specific embodiments illustrated herein, but is limited only by the following claims.

#### We claim:

- 1. An anti-icing composition comprising an aqueous solution of monohydroxy and/ or polyhydroxy alcohols thickened with a combination of an acrylic emulsion polymer and a water-swellable, colloid-forming clay mineral.
- 2. The composition of claim 1 further comprising at least 1 weight percent glycerine.
- 3. The composition of claim 1 for use in all types of locks.
- 4. The composition of claim 1, for use in or on moving mechanisms, further comprising Teflon powder as an added ingredient.
- 5. The composition of claim 1, for use in or on moving mechanisms, comprising graphite as an added ingredient.
- 6. The composition of claim 1, for use in windshield washer reservoirs of trucks or automobiles.
- 7. The composition of claim 6, comprising non-toxic freezing point depressants.
- 8. A composition comprising an anti-icing fluid with an added surfactant combination comprising a first surfactant with an HLB  $\leq$  3 coupled with a second surfactant with an HLB 19.

- 9. The composition of claim 8 wherein said first surfactant and said second surfactant comprise block copolymers of ethylene-oxide and propylene-oxide.
- 10. The composition of claim 8 wherein said anti-icing
  5 fluid comprises an aqueous solution of monohydroxy and/ or
  polyhydroxy alcohols.
  - 11. An anti-icing composition comprising an aqueous solution of monohydroxy and/ or polyhydroxy alcohols with a surfactant of HLB  $\leq$  3 added to inhibit water incursion into the composition.
  - 12. The composition of claim 11 wherein said surfactant comprises a block copolymer of ethylene-oxide and propylene-oxide.
  - 13. An anti-icing composition comprising an aqueous solution of polyvinyl alcohol, with one polyol or a combination of polyols added to comprise at least 30 weight percent of the total composition.
  - 14. The composition of claim 13 wherein said polyol or one of said combination of polyols comprises glycerine.
- 20 15. The composition of claim 13, wherein said aqueous solution of polyvinyl alcohol and said polyol or combination

of polyols are mixed together within a few hours of application.

16. The composition of claim 15, wherein said aqueous solution of polyvinyl alcohol comprises the added ingredient of hydrogen peroxide, and said polyol or combination of polyols comprises the added ingredient of one or more polymeric thickening agents.

# ABSTRACT OF THE DISCLOSURE:

Formulations for anti-icing compositions are of two The first basic formulation describes basic types. alcohol/polyol-based aqueous fluids thickened by the combination of an acrylic emulsion and a water-swellable layered clay mineral, with optional addition of a surfactant combination comprised of a first surfactant with an HLB  $\leq$  3 coupled with a second surfactant with an HLB 19, and further optional addition of a water-activated polymer and other components. The second basic formulation describes a polyol-based aqueous solution of polyvinyl alcohol with optional thickeners.

Page 22 of 22

60/154,706

	PTO/SB/01 (8-96)	- 1
Please type a plue sign (+) inside this box -> +	Approved for use through 9/30/98. OMB 0851-0032	_
	Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE	- 1
Under the Panerunck Reduction Act of 1995, on persons are	required to respond to a collection of information unless it contains a valid OMB control number	

			Attorney Docket	Number	61311008							
DECLARA	ATION	FOR	First Named inve	ntor	Andrews, Greg R.							
UTILITY O	R DE	SIGN	COMPLETE IF KNOWN									
PATENT A			Application Numb	er								
TAILMIA	i i Lio	AHON	Filing Date		September 14, 200							
Declaration OF	R ☐ Decl	aration	Group Art Unit									
Submitted with Initial Filing		mitted after al Filing	Examiner Name									
As a below named invento	r. I hereby de	clare that										
			below next to my name.									
My residence, post office address, and citizenship are as stated below next to my name.  I believe I am the original, first end sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:												
·												
	Anti-Icing Formulations											
the specification of which		(Title o	of the Invention)									
is attached hereto												
OR was Red on IMM/DD/	mm [		as	United States Applic	ation Number or PC	international						
Application Number		and w	as amended on (MM/DD/	mn [		(d applicable).						
I hereby state that I have n	minum and u	i		L	n the risins as ame	<b></b> ''''						
amendment specifically ref			B of the acove identified a	specifications, motions	A na contract or cure							
) acknowledge the duty to	disclose inform	ation which is materi	al to patentability es defini	ed in Title 37 Code of	Federal Regulations	, § 1.56.						
I hereby claim foreign priority certificate, or §365 (a) of an below and have also identifi application having a filing dal	ly PCT internation by the second second in the second seco	tional application whi checking the box, an	ich designated at least oi ly foreign application for i	ne country other tha	n the United States (	of America, listed						
Prior Foreign Application		Country	Foreign Filing (		Certified Cop	y Attached?						
Number(s)	<b></b>		YYY\ddviin	Y) Not Claimed	YES	NO						
					□							
Additional foreign applicat	<del></del>	<del></del>										
I hereby claim the benefit un												
Application Number(	5)	Faing Date	(MM/DD/YYYY)	Addith	onal provisional a	pplication						

61311008.010

priority

numbers are fisted on a

supplemental

attached hereto.

[Page 1 of 3]
Burden Hour Statement: This form is estimated to take 0.4 hours to compiles. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Tradement Office, Washington, DC 20231.
DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS, SEND TO: Commissioner of Patents and Trademants, Washington, DC 20231.

09/18/1999

		enside this box ->				din m	enand:			redemark	Office. U.S	S. DEPAR	9/30/98. OMB 0851-00 TMENT OF COMMER
nger me	Paperwork Re	ROUGER ACT DE 1995	, no pers					ATI(		ormanon u	inioss it G	PREMISE V	elid OMB control numb
design prior ackno	nating the Unite United States wledge the du	ed States of America or PCT Internation ty to disclose infor	e, listed to sal application w	States Coelow are cation is	ode §1: nd, insof n the m materia	20 of a aras anne	eny Uno the subj r provid atentab	ted State ject matt jed by t	es applicati er of each he first pe defined in	of the claur ragraph o Tale 37, 0	ns of this i if Title 3 Code of F	application 5, United ederal Re	nternational application is not disclosed in the States Code §112, I guilations §1.56 which
	S. Parent A		o ine p	PCT	Paren mber		e natro	Pare	nt Filing	Date	CACE CHIE	Parent	Patent Number applicable)
As s n	med inventor,	r PCT international I hereby appoint the connected therewit	following										iness in the Patent
		Name			Registi Num					Namé			Registration Number
	Вапту Е	. Kaplan, Esq	•		38,	934		·					
□ ^	dditional regi	stered practitioner	r(s) narr	ed on	a supp	lemei	ntal she	eet atta	ched here	ito.			
Direct	аll correspon												
Nam	• .	E. Kaplan, Es	<u>.</u>										
Add	633	West Park Pla	ace Bo	ouleva	ard								
Addr												, ,	
City		Mountain		·				State Georgia		ia	ZIP	30087	
Cour	···· )	United States	horom r	_	elephone 770-469  by own knowledge are true and that						Fax		0-469-9099
be true	; and further ti nment, or boti	nat these statement	awere m	nade wil	in the ka	nowie (	ige that	willful fo	ise statem	ents and t	he like so	made are	punishable by line or operdize the validity of
	e of Sole o	r First Inventor	<u>.l_</u>			<b>,</b>		<u> </u>	ettion ha	s been fi	led for th	is unsign	ed inventor
Given Name		Greg			Middle Initial	R	Fan Nez	- 1		Andre	ws		Suffix e.g. Jr.
Invent Signat		lang	K	-0	M	d	ll	<u> </u>			Date	9/	114/00
Resid	ence: City	Middlet	own		State	СТ	Соил	ту	Unit	ed Stat	es	Citi	Izenship U.S.A.
Post 0	flice Address	70 Home Av	enue,	Seco	nd Flo	ОС							
Post C	office Address												
City	Midd	dletown	State	СТ	Zip	(	06457		Country		Ur	nited St	ates
IX A	dditional im	entors are bein	va nam	ad an	ermol	mer	ntal et	·00(0)	attache	horeto			

		inside this box ->	+ persons	ane neq	uired	to res	pond to a c	Patent and T	rademark Of	lice: U.S.	DEPAI	9/30/98. OME RTMENT OF C	COMMERCE
		DECLAR	ATI	ON			<u> </u>			NAL II plemei		NTOR(S) Sheet	
Name of	f Additio	nal Joint Invento	x, if a	ny:			□ Ap	etition has b	een filed fo	thia uns	igned	inventor	
Given Name		Middle	1	S.	Family Name		enhall Suffix			Z le			
inventor's Signature	X					Date			X9/14/28				
Residence: City		Medletown	OWN Su			CT	Country	untry United St			ates Chizanety U.S		
Post Office	Poss Office Address 9 Brainard Avenue												
Post Office	Address												
City	Mid	dletown	State	ĊТ	Zip	(	6457	Country		Ur	nited	States	
	f Additio	nal Joint Invent	or, if a	ny: Middie	_		A   Family	etition has t	een flled fo	r this un	signet	Inventor Suffi	
Given Name	<del>,</del>			initial			Name 1						ir.
inventor's Signature										Date			
Residence: City				s	tate		Country					Citizenship	
Post Office	Address											•	
Post Office	Address												
City			State		Zip			Country					
	Addition	onal Joint Invent	or, if a				<u> </u>	etition has l	seen filed fo	or this un	signe		
Given Name	<b>,</b>				iddle itial	<u> </u>	Family Name					Suffix e.g. J	
inventor's Signature										Dete			
Residence: City				9	tate		Country					Citizonship	
Post Office	Address												
Post Office	Address												
City			State		Żip			Country					
<del></del>	f Additio	nal Joint Invent	or, if a	<del>-,</del> -		_	<del></del> _	petition has	been filed f	or this ur	rsigne		
Given Name	<del></del>				ilddi nitial		Family Name					Suffix e.g. J	
inventor's Signature										Date			
Residence: City				St	ate		Country					Citizenship	
Past Office	Address												
Post Office	Address												
City			State		Zip			Country					
☐ Add	ditional ir	ventors are bein	g nam	ed on :	sup	olem	entel she	et(s) attach	ed hereto				